


**MO136BA***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 7.1 x 7.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-32   | SMT  | Rect  | 0.33 x 0.85 mm | ---  |

Scale 2:1

**MO136BB***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 7.1 x 7.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-40   | SMT  | Rect  | 0.29 x 0.85 mm | ---  |

Scale 2:1

**MO136BC***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 9.1 x 9.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-32   | SMT  | Rect  | 0.51 x 0.85 mm | ---  |

Scale 2:1

**MO136BD***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 9.1 x 9.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-40   | SMT  | Rect  | 0.44 x 0.85 mm | ---  |

Scale 2:1

**MO136BE***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 9.1 x 9.1 mm

| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-48   | SMT  | Rect  | 0.33 x 0.85 mm | ---  |


Scale 2:1



**MO136BF***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 9.1 x 9.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-64   | SMT  | Rect  | 0.29 x 0.85 mm | ---  |

Scale 2:1

**MO136BG***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 12.1 x 12.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-44   | SMT  | Rect  | 0.51 x 0.85 mm | ---  |

Scale 2:1

**MO136BH***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 12.1 x 12.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-52   | SMT  | Rect  | 0.44 x 0.85 mm | ---  |

Scale 2:1

**MO136BJ***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 12.1 x 12.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-64   | SMT  | Rect  | 0.33 x 0.85 mm | ---  |

Scale 2:1

**MO136BK***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 12.1 x 12.1 mm

| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-80   | SMT  | Rect  | 0.29 x 0.85 mm | ---  |


Scale 2:1



**MO136BL***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 14.1 x 14.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-64   | SMT  | Rect  | 0.44 x 0.85 mm | ---  |

Scale 2:1

**MO136BM***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 14.1 x 14.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-80   | SMT  | Rect  | 0.33 x 0.85 mm | ---  |

Scale 2:1

**MO136BN***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 14.1 x 14.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-100  | SMT  | Rect  | 0.29 x 0.85 mm | ---  |

Scale 2:1

**MO136BP***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 16.1 x 16.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-64   | SMT  | Rect  | 0.51 x 0.85 mm | ---  |

Scale 1:1

**MO136BQ***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 16.1 x 16.1 mm

| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-80   | SMT  | Rect  | 0.44 x 0.85 mm | ---  |


Scale 1:1



**MO136BR***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 16.1 x 16.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-100  | SMT  | Rect  | 0.33 x 0.85 mm | ---  |

Scale 1:1

**MO136BS***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 16.1 x 16.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-120  | SMT  | Rect  | 0.29 x 0.85 mm | ---  |

Scale 1:1

**MO136BT***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 22.1 x 22.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-144  | SMT  | Rect  | 0.33 x 0.85 mm | ---  |

Scale 1:1

**MO136BU***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 22.1 x 22.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-176  | SMT  | Rect  | 0.29 x 0.85 mm | ---  |

Scale 1:1

**MO136BV***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 26.1 x 26.1 mm

| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-176  | SMT  | Rect  | 0.33 x 0.85 mm | ---  |


Scale 1:1



**MO136BW***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 26.1 x 26.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-216  | SMT  | Rect  | 0.29 x 0.85 mm | ---  |

Scale 1:1

**MO136BX***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 22.1 x 16.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-128  | SMT  | Rect  | 0.33 x 0.85 mm | ---  |

Scale 1:1

**MO136DA***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 12.1 x 12.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-36   | SMT  | Rect  | 0.56 x 0.85 mm | ---  |

Scale 2:1

**MO136DB***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 14.1 x 14.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-44   | SMT  | Rect  | 0.56 x 0.85 mm | ---  |

Scale 2:1

**MO136DC***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 14.1 x 14.1 mm

| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-52   | SMT  | Rect  | 0.51 x 0.85 mm | ---  |


Scale 2:1



**MO136DD***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 16.1 x 16.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-52   | SMT  | Rect  | 0.56 x 0.85 mm | ---  |

Scale 1:1

**MO136DE***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 30.1 x 30.1 mm


| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-160  | SMT  | Rect  | 0.44 x 0.85 mm | ---  |

Scale 1:2

**MO136DF***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 30.1 x 30.1 mm

| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-208  | SMT  | Rect  | 0.33 x 0.85 mm | ---  |

Scale 1:2

**MO136DG***Author:* Ivex*Source:* JEDEC PUBLICATION NO. 95, BOOK 2, 4/16/93 UPDATE*Size:* 30.1 x 30.1 mm

| PIN(s) | PAD  |       |                |      |
|--------|------|-------|----------------|------|
|        | TYPE | SHAPE | SIZE           | HOLE |
| 1-256  | SMT  | Rect  | 0.29 x 0.85 mm | ---  |

Scale 1:2

